



SAFETY DATA SHEET Exotic 201

WoodPlus Coatings Group Ltd.
12-1064 Salk Rd., Suite 233
Pickering, Ontario, Canada L1W 4B5
Bus.: (905) 729-3476



DATE OF ISSUE / DATE OF REVISION: 14/01/2016 VERSION: 00

1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 PRODUCT IDENTIFIER

PRODUCT NAME : WP EXOTIC BASE
PRODUCT CODE : WP EXOTIC 201 (M13-3810)
PRODUCT TYPE : LIQUID (WB STAIN)

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE/MIXTURE AND USES ADVISED AGAINST

IDENTIFIED USES

WB STAIN, COATING, PAINTS, PAINTING - RELATED MATERIALS

USES ADVISED AGAINST

NOT APPLICABLE

1.3 SUPPLIERS' S DETAILS

MONTEITH CORPORATION
2615 WHARTON GLEN AVE.
MISSISSAUGA, ONTARIO L4X 2B1
CANADA
T +1 905-270-0311

1.4 EMERGENCY TELEPHONE NUMBER

CANUTEC +1 613-996-6666

2 HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE/MIXTURE

ACCORDING TO GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)

ACUTE TOXICITY (ORAL) - CATEGORY 4
ACUTE TOXICITY (DERMAL) - CATEGORY 4
ACUTE TOXICITY (INHALATION) - CATEGORY 4

2.2 LABEL ELEMENTS

ACCORDING TO GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)

HAZARD PICTOGRAM:



SIGNAL WORD : DANGER



SAFETY DATA SHEET
Exotic 201

WoodPlus Coatings Group Ltd.
12-1064 Salk Rd., Suite 233
Pickering, Ontario, Canada L1W 4B5
Bus.: (905) 729-3476



HAZARD STATEMENTS: MAY CAUSE SLIGHT IRRITATION OF NOSE, THROAT, AND LUNGS IF INHALED
MAY BE HARMFUL IF SWALLOWED.
MAY CAUSE SLIGHT SKIN IRRITATION THROUGH PROLONGED OR REAPETED SKIN CONTACT.
MAY CAUSE SLIGHT EYE IRRITATION THROUGH DIRECT CONTACT WITH MATERIAL

PRECAUTIONARY STATEMENTS

PREVENTION : WEAR A SAFETY GLASSES WITH SIDE SHIELDS AND CHEMICAL RESISTANT PROTECTIVE GLOVES.IF NEED, WEAR A NIOSH CERTIFIED (OR EQUIVALENT) ORGANIC VAPOUR / PARTICULATE RESPIRATOR AS NEEDED.

RESPONSE : COLLECT SPILLAGE, GET MEDICAL ATTENTION IF YOU FEEL UNWELL IF INHALED: REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.CALL A PHYSICIAN.IF SWALLOWED, CALL A PHYSICIAN IF YOU FEEL UNWELL.IF ON SKIN, RINSE SKIN WITH WATER OR SHOWERS CALL A PHYSICIAN IF YOU FEEL UNWELL.IF IN EYES,RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES.CONTINUE RINSING IF EYE IRRITATION PERSISTS: GET MEDICAL ATTENTION.

STORAGE : STORE IN A COOL, DRY, WELL VENTILATED AREA.

DISPOSAL : DISPOSE OF CONTENTS AND CONTAINER IN ACCORDANCE WITH ALL LOCAL REGIONAL, NATIONAL AND INTERNATIONAL REGULATIONS.

2.3 OTHER HAZARDS: NO ADDITIONAL INFORMATION AVAILABLE

3 COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE/MIXER: MIXER

CAS NUMBER/OTHER IDENTIFIERS

CAS NUMBER : NOT APPLICABLE
EC NUMBER : MIXTURE

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
-----------------------	------------	--------------------------------	-------------------

NOT WHMIS CONTROLLED.

LISTED ON THE DOMESTIC SUBSTANCE LIST (DSL): YES

THERE ARE NO ADDITIONAL INGREDIENTS PRESENT WHICH, WITHIN THE CURRENT KNOWLEDGE OF THE SUPPLIER AND IN THE CONCENTRATIONS APPLICABLE, ARE CLASSIFIED AS HAZARDOUS TO HEALTH OR THE ENVIRONMENT AND HENCE REQUIRE REPORTING IN THIS SECTION.

OCCUPATIONAL EXPOSURE LIMITS, IF AVAILABLE, ARE LISTED IN SECTION 8.



SAFETY DATA SHEET Exotic 201

WoodPlus Coatings Group Ltd.
12-1064 Salk Rd., Suite 233
Pickering, Ontario, Canada L1W 4B5
Bus.: (905) 729-3476



4 FIRST AID MEASURES

GENERAL ADVICE

REMOVE CONTAMINATED CLOTHING.

INHALATION: MOVE TO FRESH AIR.

SKIN CONTACT: WASH WITH WATER AND SOAP AS A PRECAUTION. IF SKIN IRRITATION PERSISTS, CALL PHYSICIAN.

EYE CONTACT: RINSE WITH PLENTY OF WATER. IF EYE IRRITATION PERSISTS, CONSULT A SPECIALIST.

INGESTION: IMMEDIATELY RINSE MOUTH AND THEN DRINK PLENTY OF WATER, DO NOT INDUCE VOMITING, SEEK MEDICAL ATTENTION. NEVER INDUCE VOMITING OR GIVE ANYTHING BY MOUTH IF THE VICTIM IS UNCONSCIOUS OR HAVING CONVULSIONS.

5 FIRE- FIGHTINGFIRST MEASURES

FLASH POINT: 95 °C

METHOD USED: C/C

LOWER EXPLOSION LIMIT: NOT APPLICABLE

UPPER EXPLOSION LIMIT: NOT APPLICABLE

FLAMMABILITY: DOES NOT IGNITE

SELF IGNITION TEMPERATURE: NOT SELF IGNITING

SUITABLE EXTINGUISHING MEDIA:

WATER SPRAY, DRY POWDER, FOAM, CARBON DIOXIDE

HAZARDS DURING FIRE FIGHTING: NO PARTICULAR HAZARDS KNOWN.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTING:

FIREFIGHTERS SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE SUIT.

SPECIAL FIREFIGHTING PROCEDURES:

USE RESPIRATOR WHEN FIRE IS IN AN ENCLOSED AREA.

FURTHER INFORMATION:

DISPOSE OF FIRE DEBRIS AND CONTAMINATED EXTINGUISHING WATER IN ACCORDANCE WITH OFFICIAL REGULATIONS. PRODUCT ITSELF IS NON COMBUSTIBLE, FIRE EXTINGUISHING METHOD OF SURROUNDING AREAS MUST BE CONSIDERED.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

USE PERSONAL PROTECTIVE CLOTHING. AVOID CONTACT WITH SKIN AND EYES.

ENVIRONMENTAL PRECAUTIONS

DO NOT RELEASE UNTREATED INTO NATURAL WATERS.

METHODS FOR CLEANING

DO NOT RELEASE UNTREATED INTO NATURAL WATERS.



SAFETY DATA SHEET Exotic 201

WoodPlus Coatings Group Ltd.
12-1064 Salk Rd., Suite 233
Pickering, Ontario, Canada L1W 4B5
Bus.: (905) 729-3476



METHODS FOR CLEANING UP

CONTAIN SPILLS IMMEDIATELY WITH INERT MATERIAL (E.G., SAND, EARTH. DISPOSE OF ABSORBED MATERIAL IN ACCORDANCE WITH REGULATIONS.
FOR LARGE AMOUNTS: PUMP OFF PRODUCT.

FURTHER INFORMATION

HIGH RISK OF SLIPPING DUE TO LEAKAGE/SPILLAGE OF PRODUCT.

7 HANDLING AND STORAGE

HANDLING

AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINER TIGHTLY CLOSED. DO NOT BREATHE VAPORS, MIST OR GAS.

FURTHER INFORMATION ON STORAGE CONDITIONS

KEEP FROM FREEZING - PRODUCT STABILITY MAY BE AFFECTED.
STIR WELL BEFORE USE.

STORAGE: STORAGE TEMPERATURE 1-49 °C (34-120 °F)

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION

WEAR A NIOSH-CERTIFIED (OR EQUIVALENT) ORGANIC VAPOUR / PARTICULATE RESPIRATOR AS NEEDED.

HAND PROTECTION

WEAR CHEMICAL RESISTANT PROTECTIVE GLOVES.

EYE PROTECTION

WEAR TIGHTLY FITTING SAFETY GOGGLES (CHEMICAL GOGGLES). FACE SHIELD IF SPLASHING HAZARD EXISTS.

PROTECTIVE MEASURES

FACILITIES STORING OR UTILIZING THIS MATERIAL SHOULD BE EQUIPPED WITH AN EYE WASH FACILITY.

9 PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING RANGE: 149°C

SPECIFIC GRAVITY (H2O=1): 0.98

VAPOR DENSITY: NA

EVAPORATION RATE: NA

COATING V.O.C.: 0 GRAMS/LTR

SOLUBILITY IN WATER: NA

APPEARANCE AND ODOUR: COLORED LIQUID

pH: 8.5

FREEZING POINT: 0 DEGREE CELSIUS

COEFFICIENT OF WATER/OIL DIST: NA

ODOUR THRESHOLD: NA



SAFETY DATA SHEET Exotic 201

WoodPlus Coatings Group Ltd.
12-1064 Salk Rd., Suite 233
Pickering, Ontario, Canada L1W 4B5
Bus.: (905) 729-3476



10 STABILITY AND REACTIVITY

HAZARDOUS REACTIONS: NONE KNOWN. STABLE.

MATERIALS TO AVOID: THERE ARE NO KNOWN MATERIALS WHICH ARE INCOMPATIBLE WITH THIS PRODUCT.

POLYMERIZATION: PRODUCT WILL NOT UNDERGO POLYMERIZATION.

11 TOXICOLOGICAL INFORMATION

NO DATA ARE AVAILABLE FOR THIS MATERIAL. THE INFORMATION SHOWN IS BASED ON PROFILES OF COMPOSITIONALLY SIMILAR MATERIALS.

ACUTE TOXICITY

ORAL

TYPE OF VALUE: LD50

SPECIES: RAT

VALUE: > 2,000 - 10,000 MG/KG

ACUTE TOXICITY

DERMAL

TYPE OF VALUE: LD50

SPECIES: RABBIT

VALUE: > 5,000 MG/KG

IRRITATION / CORROSION

SKIN

SPECIES: RABBIT

RESULT:

METHOD: OECD GUIDELINE: 404

EYE

SPECIES: RABBIT

RESULT:

METHOD: OECD GUIDELINE: 405

12 ECOLOGICAL INFORMATION

FISH

ACUTE

OECD GUIDELINE 203 STATIC

BRACHYDANIO RERIO/LC50(96H): >100 MG/L

AQUATIC INVERTEBRATES

ACUTE

OECD GUIDELINE 202 PART 1 STATIC

DAPHNIA MAGNA/EC50(48H): >100 MG/L

AQUATIC PLANTS

TOXICITY TO AQUATIC PLANTS

OECD GUIDELINE 201 GREEN ALGAE/EC50(72H): >100 MG/L

NOMINAL CONCENTRATION.



SAFETY DATA SHEET Exotic 201

WoodPlus Coatings Group Ltd.
12-1064 Salk Rd., Suite 233
Pickering, Ontario, Canada L1W 4B5
Bus.: (905) 729-3476



MICROORGANISMS

TOXICITY TO MICROORGANISMS:

DIN EN ISO 8192-OECD 209-88/302/EEC.P.C ACTIVATED SLUDGE, DOMESTIC /EC20(0.5H):
>100 MG/L

THE INHIBITION OF THE DEGRADATION ACTIVITY OF ACTIVATED SLUDGE IS NOT ANTICIPATED WHEN INTRODUCED TO BIOLOGICAL TREATMENT PLANTS IN APPROPRIATE LOW CONCENTRATIONS.

DEGRADABILITY / PERSISTENCE

BIOLOGICAL / ABIOLOGICAL DEGRADATION

TEST METHOD: OECD 302B: ISO 9888: 88/302/EEC, PART C

METHOD OF ANALYSIS: DOC REDUCTION

DEGREE OF ELIMINATION: >70 %

EVALUATION: EASILY ELIMINATED FROM WATER. THE PRODUCT CAN BE VIRTUALLY ELIMINATED FROM WATER BY ABIOTIC PROCESSES E.G ADSORPTION ONTO ACTIVATED SLUDGE.

BIOCCUMULATION

BASED ON ITS STRUCTURAL PROPERTIES, THE POLYMER IS NOT BIOLOGICALLY AVAILABLE. ACCUMULATION IN ORGANISMS IS NOT TO BE EXPECTED.

OTHER ADVERSE EFFECTS:

DO NOT RELEASE UNTREATED INTO NATURAL WATERS. AT THE PRESENT STATE OF KNOWLEDGE NO NEGATIVE ECOLOGICAL EFFECTS ARE EXPECTED. ECOLOGICAL DATA ARE DETERMINED BY ANALOGY.

13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL OF SUBSTANCE

INCINERATE OR DISPOSE OF IN A LICENSED FACILITY. DO NOT DISCHARGE INTO DRAINS / SURFACE WATER / GROUND WATER.

CONTAINER DISPOSAL

DISPOSE OF IN A LICENSED FACILITY. WE RECOMMEND CRUSHING, PUNCTURING OR OTHER MEANS TO PREVENT UNAUTHORIZED USE OF USED CONTAINERS.

14 TRANSPORT INFORMATION

LAND TRANSPORT

TDG: NOT CLASSIFIED AS A DANGEROUS GOOD UNDER TRANSPORT REGULATIONS.

SEA TRANSPORT

IMDG: NOT CLASSIFIED AS A DANGEROUS GOOD UNDER TRANSPORT REGULATIONS.

AIR TRANSPORT:

IATA/ICAO: NOT CLASSIFIED AS A DANGEROUS GOOD UNDER TRANSPORT REGULATIONS.

15 REGULATORY INFORMATION

FEDERAL REGULATIONS

REGISTRATION STATUS

CHEMICAL PRODUCT - DSL, CA RELEASED / LISTED



SAFETY DATA SHEET

Exotic 201

WoodPlus Coatings Group Ltd.
12-1064 Salk Rd., Suite 233
Pickering, Ontario, Canada L1W 4B5
Bus.: (905) 729-3476



NOT WHMIS CONTROLLED

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR (CONTROLLED PRODUCTS REGULATIONS) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

CANADA, ENVIRONMENTAL PROTECTION ACT (DSL)

ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE INVENTORY LISTING REQUIREMENTS OF THE NEW SUBSTANCES NOTIFICATION REGULATIONS.

UNITED STATES TOXIC SUBSTANCES CONTROL ACT (TSCA)

ALL COMPONENTS OF THIS PRODUCT ARE IN COMPLIANCE WITH THE INVENTORY LISTING REQUIREMENTS OF THE U.S. TOXIC SUBSTANCES CONTROL ACT (TSCA) CHEMICAL SUBSTANCE INVENTORY.

16 DISCLAIMER

THE INFORMATION AND DATA CONTAINED HEREIN IS BELIEVED TO BE ACCURATE AT THE TIME OF PREPARATION AND HAS BEEN OBTAINED FROM SOURCES BELIEVED TO BE GENERALLY RELIABLE. NO WARRANTY OR LIABILITY FOR THE ACCURACY IS MADE AND NO LIABILITY WILL BE ASSUMED FOR CLAIMS ARISING FROM ANY PARTY'S USE OF OR RELIANCE ON INFORMATION CONTAINED HEREIN.